



APPROVED: /A.A./


1 / 9
FIG. 1



2/9
FIG. 2




3/9
FIG. 3




4/9

FIG. 4



5/9
FIG. 5



6 / 9

FIG. 6

TRAFFIC CONTROLS • LINK ATTRIBUTE (1)	bit7	bit6	bit5	DESCRIPTION	
	0	0	0	RESERVE	
	0	0	1	TWO-WAY MAIN ROAD	
	0	1	0	TWO-WAY FEEDER ROAD	
	0	1	1	TWO-WAY SIDE ROAD	
	1	0	0	ONE-WAY MAIN ROAD	
	1	0	1	ONE-WAY FEEDER ROAD	
	1	1	0	ONE-WAY SIDE ROAD	
	1	1	1	ROAD CLOSED	
	DEFAULT ROAD WIDTH	bit4	DESCRIPTION		
0		UNDER 5.5M			
1		5.5M OR MORE			
LINK TYPE	bit3	bit2	bit1	bit0	DESCRIPTION
	0	0	1	0	NATIONAL ROAD
	0	0	1	1	MAJOR REGIONAL ROAD
	0	1	0	0	STATE ROAD
	0	1	0	1	PUBLIC ROAD
	0	1	1	0	MINOR STREET
	0	1	1	1	MINOR STREET 2
	1	0	0	0	INTERCITY HIGHWAY
	1	0	0	1	URBAN HIGHWAY
	1	0	1	0	TOLL NATIONAL ROAD
	1	0	1	1	TOLL MAJOR REGIONAL ROAD
	1	1	0	0	TOLL STATE ROAD
	1	1	0	1	OTHER TOLL ROAD
	1	1	1	0	ROAD EXCEPT FERRY ROUTE
	1	1	1	1	FERRY ROUTE

7/9
FIG. 7




FIG. 8

Nxn	NODE FLAG	bit15	DESCRIPTION
		0	NOT IDENTICAL
		1	IDENTICAL
X-COORDINATE OFFSET			
Y-COORDINATE OFFSET			
Nxn+1	.		
	.		
	.		
	.		

9/9
FIG. 9

